

# MAHINDRA


## 5200 SERIES

### HD 10' PULL TYPE CUTTER

RUGGED

DURABLE

DEPENDABLE



#### SPECIFICATIONS

Cutting Width	116"	Center Drive Shafts	Shock coupler protection
Transport Width	122"	Stump Jumper	5/8" thick, round
Type Hitch	Center pull self leveling	Gear Boxes	100 HP center, 90 HP outboard
Cutting Height	2"-12"	Tail Wheels	21" laminated
Cutting Capacity	2" dia. material	Spindle Hubs	Ball bearing
Deck Thickness	3/16" or 7 GA Steel	Front Chain Guard	Optional
Side Bands	HD 8" channel	Rear Chain Guard	Optional
Tongue Jack	Fold up-removable	Weight	1790 lbs.
Recomm. Min. HP	42 HP		
Hydraulic Cylinder	3 x 8 w/hose		
PTO	Constant velocity w/slip		

**WARNING:** Whenever this machine is operated in populated areas or in other areas where thrown objects could injure persons or properties, safety chain shielding, to reduce the possibilities of throwing objects, must be installed.

# MAHINDRA

## 5200 SERIES

### HD 10' LIFT TYPE CUTTER

RUGGED

DURABLE

DEPENDABLE



#### SPECIFICATIONS

Cutting Width	116"	Gear Boxes	100 HP center, 90 HP outboard
Transport Width	122"	Wheels	Laminated
Type Hitch	CAT I or CAT II	Hub	Ball bearing
Cutting Height	2" - 8"	Front Chain Guard	Optional
Cutting Capacity	2" dia. material	Rear Chain Guard	Optional
Deck Thickness	3/16" or 7 GA Steel	Weight	1480 lbs.
Side Bands	HD 8" channel		
Recomm. Min. HP	52 HP		
PTO Drive Shaft	Series 5 w/slip clutch		
Center Drive Shafts	Shock coupler protection		
Stump Jumper	5/8" thick, round		

## MAHINDRA

Tom Ball, TX 1-800-887-2286



**WARNING:** Whenever this machine is operated in populated areas or in other areas where thrown objects could injure persons or properties, safety chain shielding, to reduce the possibilities of throwing objects, must be installed.

# “Standard Duty” Cutters with HD Channel

THEY'RE NOT ORDINARY. THEY'RE BUILT TO LAST A LONG TIME.

**Lift Type 40", 4', 5', 6'**



## SPECIFICATIONS

Top Link	Floating
Type Hitch	CAT I
Deck Thickness	11 GA Steel
Side Bands	HD 7" channel
PTO Drive Shaft	Series 4
Slip Clutch	Optional
Stump Jumper	Pan Stump Jumper
Gear Boxes	40 HP
Wheels	Laminated
Hub	Regreaseable
Front Chain Guard	Optional
Rear Chain Guard	Optional
Weight 40"	390 lbs.
Weight 4'	436 lbs.
Weight 5'	510 lbs.
Weight 6'	645 lbs.
Pull Type	Optional

**“All” Mahindra Cutter Decks are primed first before applying a quality high gloss paint!**

# “Medium Duty” Cutters

**Lift Type 5', 6'**



## SPECIFICATIONS

Top Link	Floating
Type Hitch	CAT I
Deck Thickness	11 GA Steel
Side Bands	HD 7" channel
PTO Drive Shaft	Series 4
Slip Clutch	Optional
Stump Jumper	3/4" Solid Stump Jumper
Gear Boxes	90 HP
Wheels	Laminated
Hub	Regreaseable
Front Chain Guard	Optional
Rear Chain Guard	Optional
Weight 5'	615 lbs.
Weight 6'	755 lbs.
Pull Type	Optional

# “Heavy Duty” Cutters

THEY'RE NOT ORDINARY. THEY'RE BUILT TO LAST A LONG TIME.

## SPECIFICATIONS

Top Link	Floating
Type Hitch	CAT II
Deck Thickness	3/16" or 7 GA Steel
Side Bands	HD 8" channel
PTO Drive Shaft	Series 6 w/slip clutch
Slip Clutch	Optional
Stump Jumper	3/4" Solid Stump Jumper
Gear Boxes	90 HP
Wheels	Laminated Dual Tailwheels
Hub	Bearings
Front Chain Guard	Optional
Rear Chain Guard	Optional
Weight 5'	875 lbs.
Weight 6'	1205 lbs.
Weight 7'	1375 lbs.
Pull Type	Optional

## Lift Type 5', 6', 7'



**“All” Mahindra Cutter Decks are primed first before applying a quality high gloss paint!**

## 8' “Heavy Duty” Lift Type Cutter

New Model  
Bigger  
Gear Boxes

## SPECIFICATIONS

Cutting Width	93"
Transport Width	98"
Type Hitch	CAT I or CAT II
Cutting Height	2"- 8"
Cutting Capacity	2" dia. material
Deck Thickness	10 GA Steel
Side Bands	HD 7" channel
Recomm. Min. HP	42 HP
PTO Drive Shaft	Series 5 w/slip clutch
Center Drive Shafts	Shock coupler protection
Stump Jumper	5/8" thick, round
Gear Boxes	100 HP center - High Speed 90 HP outboard
Wheels	Laminated Dual Tailwheels
Hub	Bearing
Front & Rear Chain Guard	Optional
Weight	1250 lbs.

